

Good Morning!














Case Study Dairy


For training in Prague







PRES URCE







PRES URCE The dairy Resmilk

- Is a cooperative of dairy farmers located in the northern part of Southland
- It employes 100 people
- Works 350 days per year
- Processes milk to drinking milk
- Has a waste water treatment plant
- Has no environmental management system





PRES URCE The management team







PRES URCE Resmilk strategic priorities

- Further improve product quality
- Decrease production costs
- Extend the market
- Improve access to capital
- Extend enterprise facility





PRES URCE Awards

 Was awarded a "cheese oskar" on the international cheese exhibition the last three years







PRES URCE Happy cows







PRES URCE Organisational units

- Management
- Administration
- Consulting farmers
- Production
- Logistics
- Utilities (boiler, chiller)
- Waste management





PRES URCE Products

	Product	Annual quantity	unit
Milk		68.000	t
	conventional	83,3	%
	bio	11,5	%
	industrial	5,2	%





PRES URCE Inputs

1	Water		175.000	m³
	From	well	100.000	m³
	From	city	74.568	m³
	Waste water		175.000	m³
2	Raw milk		70.000	t
3	Film for milk poaches		400	t
4	Crates		4	t





PRES URCE Inputs

1	Water		€/m³
	From well	0	
	From city	1	
	Waste water	1	€/m³
2	Raw milk	0,25	€/kg
3	Film	2	€/kg
4	Crates	2	€/kg





PRES URCE Hazardous materials

Nrl	MSD S	Material	Annual quantity	unit
1	j	Cleaning agents	7.120	kg
2	j	Disinfectants	15.202	kg
3	j	lubricants	647	kg
4	j	Refrigerants (R22)	110	kg





PRES URCE Hazardous materials

Nr	Material		unit
1	Cleaning agents	2	€/kg
2	Disinfectants	5	€/kg
3	lubricants	2	€/kg
4	Refrigerant (R22)	12	€/kg





PRES URCE Waste

Waste Annual quantity [kg]
Industrial waste 10.000
Wood pallets employees
Packaging material 8.000

Disposal cost 350 €/t





PRES URCE Energy

1 Electricity	7	GWh	0,10	€/kWh
2 Natural gas	3.000.00	sm³	0,35	€/sm³
3 Diesel	90.000	1	1,3	€/I





PRES URCE Reception of milk







PRES URCE Metering







PRES URCE Pumps









PRES URCE Cooling

Cleaning







PRES URCE Storage

Cleaning







PRES URCE Pasteurization







PRES URCE Packaging material







PRES URCE

No recycled material used for bags and crates





PRES URCE Filling







PRES URCE Cleaning







PRES URCE Ready made product







PRES URCE Storage







PRES URCE Cooling - Compressor







PRES URCE R22 for refilling







PRES URCE CIP plant







PRES URCE Cleaning

- Water from final rinse is not recovered
- Manual control of rinsing



PRES URCE Benchmarking

	Energy consumption	Water consumption	Waste water
Production of market milk from 1 litre of received milk	0.07 - 0.2 kWh/l	0.6 – 1.8 1/1	0.8 - 1.7 1/1
Production of milk powder from 1 litre of received milk	0.3 - 0.4 kWh/l	0.8 – 1.7 1/1	0.8 – 1.5 1/1
Production of 1 kg of ice-cream	0.6 – 2.8 kWh/kg	4.0 - 5.0 1/kg	2.7 - 4.0 l/kg

Source: European BREF notes, "Food, drink and milk industry" (http://eippcb.jrc.ec.europa.eu/reference/)





PRES URCE Waste water treatment







PRES URCE Boiler







PRES URCE Steam manifold









PRES URCE Storage of cleaning chemicals













PRES URCE Food waste

• 25% of products is not consumed!



Management system

<u>-</u>

2.4 Are there significant environmental aspects? Is there an effectively operated environmental management system in place?

NA 0	Absence No EMS	Preparation EMS is being prepared	Integration EMS is implemented	Proaction EMS is effectively implemented (goals for different aspects are defined and progress is monitored)	A B C
	1	2	3	4	

Sour.

Int

Rem.

For evaluation of **WEIGHT** the following approach is recommended: A – very important should be given to an enterprise with significant environmental impacts; B – medium importance with medium importance of environmental impacts; C – low importance for low importance environmental impacts





Ξ:


3.2 Management of potential to increase energy efficiency

NA	Absence	Preparation	Integration	Proaction	WEIGHT
0	No data available	Documentation of energy consumption, (some) energy reduction measures	regular energy audits (internal or external), documentation of energy consumption, benchmarking, good maintenance and training activities, action plan	Monitoring and controlling of energy efficiency data, energy action plan, energy team, energy report,	A B C
	1	2	3	4	
Sour. Rem.	1.2	(input/output tab	oles)		





PRES URCE Selection tool







PRES URCE Suggested tool: Cleaner Production

READ Tool:


http://www.environment-agency.gov.uk/static/documents/Business/ Resource Efficiency Tool guide for EPRA1 customers.pdf

- PRESME Tool
 (estimated time to check about 4 hours)
- Ecoprofit
 (most effective in group, 5 to 15 working days)
- PIUS Check (with external consultant, 30 working days)





PRES URCE Example of application







Lournay need to put short territion cost measures in place in order to make progress.



Expenditure

At present, waste costs around £100000 per annum. Your spending is constant.

Knowledge and understanding

- You understand some of your waste production well and have measured some of your waste production.
- Your measurement is moderately accurate.

Achieving targets and improving performance

- Senior managers periodically review waste use.
- There are targets across most of the operation to manage waste use.
- Targets are partly based on technical or historical benchmarks.
- Waste use targets are sometimes achieved.
- Apparently there is more opportunity to increase efficiency in this area.
- You may need to put short term/low cost measures in place in order to make progress.






PRES URCE Sector specific checklist (PRESME)

- Use continuous rather than batch processes to reduce the frequency of cleaning;
- Use automated cleaning-in-place (CIP) systems for cleaning to control and optimise water use;
- Install fixtures that restrict or control the flow of water for manual cleaning processes;
- Use high pressure rather than high volume for cleaning surfaces;
- Reuse relatively clean wastewaters (such as those from final rinses) for other cleaning steps or in non-critical applications;
- Recirculate water used in non-critical applications;
- Install meters on high-use equipment to monitor consumption;
- Pre-soak floors and equipment to loosen dirt before the final clean;
- Use compressed air instead of water where appropriate;
- Report and fix leaks promptly.





PRES URCE Probes for upgrading CIP plant







PRES URCE Proposal for upgrade of CIP plant

- 4 probes at 10.000 Euros
- 1 additional tank 15.000 Euros
- Pipes etc. 15.000 Euros
- Control unit 15.000 Euros
- Project costs, civil works, installation, startup
 65.000 Euros





PRES URCE Suggested Tool: EMS

- EMAS
- ISO 14001



PRES URCE Example of application

22.12.2009

EN

Official Journal of the European Union

L 342/1

I

(Acts adopted under the EC Treaty/Euratom Treaty whose publication is obligatory)

REGULATIONS

REGULATION (EC) No 1221/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

of 25 November 2009

on the voluntary participation by organisations in a Community eco-management and audit scheme (EMAS), repealing Regulation (EC) No 761/2001 and Commission Decisions 2001/681/EC and 2006/193/EC

THE EUROPEAN PARLIAMENT AND THE COUNCIL OF THE EURO-PEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 175(1) thereof.

Having regard to the proposal from the Commission,

Having regard to the opinion of the European Economic and Social Committee (1).

development of initiatives to encourage organisations to publish rigorous and independently verified environmental or sustainable development performance reports is regarded as necessary in this context.

(3) The Commission Communication of 30 April 2007 on the Mid-term review of the Sixth Community Environment Action Programme recognises that there is a need to improve the functioning of the voluntary instruments that







ANNEX I

ENVIRONMENTAL REVIEW

environmental review shall cover the following areas:

Identification of the applicable legal requirements relating to the environment.

In addition to the establishment of a list of applicable legal requirements, the organisation shall also indicate how evidence that it is complying with the different requirements can be provided.

Identification of all direct and indirect environmental aspects with a significant impact on the environment, qualified and quantified as appropriate and compiling a register of those identified as significant;

An organisation shall consider the following issues in assessing the significance of an environmental aspect:

- (i) potential to cause environmental harm;
- (ii) fragility of the local, regional or global environment,





PRES URCE Suggested Tool: Ecodesign

- Ecolizer http://www.ecodesignlink.be/en/ecolizer
- Life Cycle design manager

http://www.unep.fr/scp/lcinitiative/publications/training/lcmnavigator/index_c.html





PRES URCE Example of application



DIVINE	
Copper	02.03
Brass	
Tin	02.05
Other	02.06

Plastics	
ABS	03.01
EVA	03.02
РД	03.03
PC	03.04
PE	03,05
PET	03.06
PMMA	03.07
PP	03.08
PS	03.09
PUR	03.10
PVC	03.11
SAN	03.12
Recycled plastics	03,13
Bioplastics	03.14
Composites	03.15
Rubber	03,16
Teflon	03.17

Bioplastics 0	3.14
PRODUCTION	8.4
	mPt/k
Modified starch/kg	275
Polylactide (PLA)/kg	312
PROCESSING	mPt
Revolving, milling, drilling/cm³	0,01
Extrusion, plastic film/kg	49
Extrusion, plastic pipes/kg	36 (
Hot element welding (30sec)/welding	2 (
Hot element welding (45min)/welding	155 (
Blow moulding/kg	123 (
Laser welding/m	0,46 (
Foaming/kg	60 (
Reaction injection moulding (RIM), large scale/kg	21 (
Rotation Forming/kg	106 (
Mirror-welding	dna
Injection moulding/kg	126 (
Ultrasonic welding (15kHz)/welding*	0,04 (
Ultrasonic welding (20kHz)/welding*	0,02 (
Ul trasonic welding (40kHz)/welding*	0,01 (
zoom=170,17,655 in/km	dna





PRES URCE Biopolymer bags









PRES URCE Action plan

- Train employees ...
- Check feasibility of CIP plant ...
- Introduce EMS ...
- Check feasibility of bioplastics ...



Thank you for your active participation!



